Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Ľ1	105	(select\$5 or adapt\$5 or chos\$4 or option\$5)near6 (power\$4 near5 (communicat\$4 near2 (hub or port)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:13
L2	0	l1 same ((los\$5 or loos\$4)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:08
L3	0	I1 same ((los\$5 or loos\$4 or interrupt\$3 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:13
L4	8	I1 and ((los\$5 or loos\$4 or interrupt\$3 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:10
L5	72	l1 and (uninterrupted or ups)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:10
L6	28	(power\$4 near5 (communicat\$4 near2 (hub or port))) same ((los\$5 or loos\$4 or interrupt\$3 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:20
L7	16	I6 and (parameter or value)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:20
L8	24257	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:59
L9	64	I8 and (power\$4 near5 (communicat\$4 near2 (hub or port)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 14:15
L10	12	I9 and ((los\$5 or loos\$4 or interrupt\$3 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 14:04
L-151	9	l10 and (parameter or value)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 13:22
L12	6	I9 and ((los\$5 or loos\$4 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 14:02

L13	35533	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 14:01
L14	35581	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:01
L15	765	I13 and ((los\$5 or loos\$4 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 14:02
L16	765	I15 and ((los\$5 or loos\$4 or interrupt\$3 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 14:24
L17	6	l16 and (power\$4 near5 (communicat\$4 near2 (hub or port)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/04/18 14:15
L18	80	((select\$5 or adapt\$5 or chos\$4 or option\$5)near4 power\$4) near5 ((communicat\$4 near2 (hub or port)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:23
L19	0	I18 same ((los\$5 or loos\$4 or interrupt\$3 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:24
L20	4	118 and ((los\$5 or loos\$4 or interrupt\$3 or suspen\$5)near3 communicat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:26
L21	8	("5550917" "5912963" "6233235" "6345047").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:03
L22	7	(power\$4 near3 (communication near2 (port or hub))) same ((based or depend\$4 or responsive)near3 communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:08

L23	5	((remote\$3 near3 power\$4) with (communication near2 (port or hub))) same ((based or depend\$4 or responsive)near3 communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:10
L24	6	((remote\$3 near3 power\$4) with (communication near2 (port or hub))) and ((based or depend\$4 or responsive)near3 communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:16
L25	14	((remote\$3 near3 power\$4) same (communication near2 (port or hub))) and ((based or depend\$4 or responsive)near3 communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:33
L26	6	("6526563" "6515509" "6490707").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:33

Refine Search

Search Results -

Terms	Documents
L1 and ((los\$4 or loos\$4 or disabl\$4 or interrupt\$4 or supspen\$4)near3 communication)	8

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database

Database:

Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:

L7			Refine Search
	Recall Text 🗢	Clear	Interrupt

Search History

DATE: Monday, April 18, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u> result set
DB=F	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L7</u>	L1 and ((los\$4 or loos\$4 or disabl\$4 or interrupt\$4 or supspen\$4)near3 communication)	8	<u>L7</u>
<u>L6</u>	L3 and ((los\$4 or loos\$4 or disabl\$4 or interrupt\$4 or supspen\$4)near3 communication)	0	<u>L6</u>
<u>L5</u>	L3 and (supervisor\$4 near3 circuit)	0	<u>L5</u>
<u>L4</u>	L3 and ((los\$4 or loos\$4 or disabl\$4)near3 communication)	0	<u>L4</u>
<u>L3</u>	L1 same (parameter or value)	ĺ	<u>L3</u>
<u>L2</u>	L1 and (parameter or value)	51	<u>L2</u>
<u>L1</u>	(select\$5 or adapt\$5 or chos\$4 or option\$5)near6 (power\$4 near5 (communicat\$4 near2 (hub or port)))	116	<u>L1</u>

END OF SEARCH HISTORY

WEST Search History

Hide Items Restore Clear Cancel

DATE: Monday, April 18, 2005

Hide?	<u>Set</u> <u>Name</u>	Query	<u>Hit</u> Count
•	DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR	
	L8	('20040246450' '20040239448' '20020031692' '20020021209' '6741442' '4557295' 'EP 1333360A')!.PN.	12
	L7	L1 and ((los\$4 or loos\$4 or disabl\$4 or interrupt\$4 or supspen\$4)near3 communication)	8
	L6	L3 and ((los\$4 or loos\$4 or disabl\$4 or interrupt\$4 or supspen\$4)near3 communication)	0
	L5	L3 and (supervisor\$4 near3 circuit)	0
	L4	L3 and ((los\$4 or loos\$4 or disabl\$4)near3 communication)	0
	L3	L1 same (parameter or value)	1
	L2	L1 and (parameter or value)	51
	L1	(select\$5 or adapt\$5 or chos\$4 or option\$5)near6 (power\$4 near5 (communicat\$4 near2 (hub or port)))	116

END OF SEARCH HISTORY